

The impact of micro hydro electricity on household welfare indicators

Mary Karumba*&Edwin Muchapondwa†

August 27, 2016

Abstract

The use of small scale off-grid renewable energy for rural electrification is now seen as part of the sustainable energy solutions. The expectations from such small scale investment is that it can meet basic energy needs of a household and subsequently improve some aspects of the household welfare. However, these stated benefits remain largely hypothetical because there is data and methodological challenges in existing literature attempting to isolate such impact. This paper uses field data from micro hydro schemes in Kenya, and a propensity score matching technique to demonstrate such an impact. The study finds that households connected to micro hydro electricity consume 1.5 litres less of kerosene per month compared to households without any such electricity connection. Also, non connected households spend 0.92 USD more for re-charging their cell phone batteries per month in comparison to those who were using micro hydro electricity service. Finally, school children from households that are connected to micro hydro electricity were found to devote 43 minutes less on evening studies compared to those in non-connected households. The findings provide interesting insights to some of the claims made for or against use of off grid renewable energy for rural electrification.

JEL Classification: C21; Q01; Q42;

Keywords: Micro hydro; rural electrification; impact ; Kenya

1 Introduction

International Energy Agency estimates that 1.2 Billion people in the world had no electricity access as of 2013. Slightly more than half of these people are in Sub-Saharan Africa, making electricity access a particularly pressing development problem in this region. Consequently, there have been concerted efforts to direct more infrastructure spending to rural electrification (RE) mainly through

*Corresponding author- krmmar014@myuct.ac.za or muthonikarumba48@gmail.com, School of Economics, University of Cape Town, Private Bag, Rondebosch 7701, Cape Town

†Edwin Muchapondwa, Professor, School of Economics, University of Cape Town. edwin.muchapondwa.uct.ac.za.

grid extension and other alternatives like off-grid renewable energy technologies. For instance, the World Bank is currently running several lending programmes for rural electrification in developing countries. The main justification for these rural electrification programmes is based on a hypothesis that access to electricity can lead to improved health, education, gender equality and economic outcomes. Bernard (2010) observes that in the face of current resource shortages and competing budgetary needs, it is important to account for the impact of rural electrification spending on improvement of human living standards. This is the entry point for academic literature that sets to obtain the independent impact of rural electrification of several claimed outcomes.

Barnes and Binswanger (1986) note that RE projects take long to materialize in addition to the fact that rural households may take long to make the connection or adoption decision. Consequently, the socio-economic benefits may take long to show up even if a lot of unrecoverable resources have already been spent. Methodological difficulties are apparent in literature given that the most suitable methods of establishing impact like Randomized Control Trials (RCTs) may not be easily applicable. This is because electrification projects in developing countries are mostly subsidized, and the fact that isolating treatment and control groups in electrification of poor households may raise ethical challenges. In spite of these difficulties, attempts have been made in literature to quantify the changes that occur to consumers who connect to mainly grid electricity. Increased income is established by (Khandker et al., 2012, 2013) but this may only be a localized impact as shown by other studies like (Bensch et al., 2011). Thus it is not a guarantee that households in all electrified geographical regions will get an income gain attributable to electrification. Other studies like Dinkelman (2011) have established an increase in employment that is purely attributable to electrification. Additionally, gender equality objectives may also be achieved if availability of electricity eases household chores that mainly tend to tie women down like cooking with collected firewood (Dinkelman, 2011). However, this impact may not occur in countries where electricity is expensive and households limit their use of electricity to only light uses (Madubansi and Shackleton, 2006). Educational gains from rural electrification can only be established in samples comprising of school going population, and even so the proxy used for education gain is study hours which may not translate into improved academic performance. Bensch et al. (2011) finds non-robust evidence for increased study time for primary school kids in rural Rwanda, while access to electricity may paradoxically reduce the study time due to increased entertainment activities as observed by (Matinga and Annegarn, 2013).

There is a general hypothesis that access to electricity leads to elimination of unclean fuels, driven mainly by the replacement of kerosene lamp and open fires with electric bulbs. Madubansi and Shackleton (2006) find that electrification actually led to increased fuel wood use in households, although the approach in the study does not control for other changes to a particular household over time. Even so, this is not an entirely impossible outcome given that households may not afford the cost of cooking with electricity. The obvious thing in the literature is that electricity can affect different aspects of human welfare, all of

which are agreeably important. More importantly, the impact of electrification is context dependent and a claim of an impact in one instance does not guarantee the same outcome elsewhere. Specifically, since off grid electrification solutions are potentially different from grid services in terms of quality (Terrado et al., 2008), it is clear that expectations from such installations are more likely to be modest but all the same useful.

While electrification impacts resulting from grid electrification dominate literature, (see Bernard (2010); Dinkelman (2011); Khandker et al. (2012, 2013)) there exists a vacuum of empirical evidence for the impacts of alternative off grid rural electrification. In particular, off grid renewable energy is often justified on the grounds that it leads to improvements of human welfare such as provision of convenient, affordable and clean electricity. Whether this hypothesis is maintained remains an empirical question because the few studies that claim impact do not solve for self-selection bias into connectivity (see for instance Madubansi and Shackleton (2007); Komatsu et al. (2011); Mondal and Klein (2011); Matinga and Annegarn (2013)). Moreover, evidence from ex-ante evaluation like Bensch et al. (2012) may not form a useful reference point for impact of limited capacity electrification interventions, since they use comparison households connected to grid supply. The current study aims to contribute to ongoing debate on renewable energy electrification by using observational data and a consistent estimation that can permit attribution of electrification to outcomes. The main objective here is to establish the impact of micro hydro grid connectivity to selected indicators of household welfare.

1.1 Micro Hydro Electricity and rural electrification in Kenya

Although there have been ongoing rural electrification investments in Kenya, serious state focus on rural electrification can be traced back in 2003 in the advent of a political regime change. Several changes in the Electricity sub-sector culminated into adjustments in the Energy Act and a Sessional Paper on Energy that recommended separating of generation and distribution functions, as well as introduction of a energy sector regulator in 2006. The function of rural electrification was domiciled under the Rural Electrification Authority (REA), while power generation and distribution was left to Kenya Electricity Generation company and Kenya Power and Lighting Company respectively. Responsibilities for renewable energy development are spread across actors in the energy sector with the Government's role being largely facilitation through policy. Despite this type of institutional set up, electricity access continues to be a development challenge with only 7¹ per cent of the rural population having access to electricity.

The use of off grid renewable energy technologies like micro grids like based on solar, wind and water has been adopted by individuals, communities and institutions as alternative RE mechanisms in Kenya. These are mainly prac-

¹see 2015 World Energy Outlook Database

ticed by private individuals (like solar home systems or individual micro grids) or communities (micro solar/hydro grids) to either meet their primary energy needs or supplement own energy sources. Community owned micro hydro grids is one such alternative, whose origin is two demonstration projects set up by the Government of Kenya in conjunction with development partners (United Nations Development Programme and Practical Action) back in the year 2000. Two communities were mobilized to set up micro hydro grids that would later act as demonstration points for other groups. What followed was a long trial period and demand for this alternative electrification remains high even in places that have grid presence, although state support for such local electrification projects has reduced.

Once a community decided to exploit local micro hydro potential a scheme would be established, and participating households within the radius of a micro hydro would be required to register on a first come basis. Communal manual work and contribution of building materials and money form part of the mandatory contributions throughout the phases of constructing the power plants and distribution lines. Only those who have fulfilled all the labour and financial obligations are eligible for connection of power into the households in several phases. Because of financial and or technical limitations, most community micro hydro grids in Kenya are designed to provide basic electricity services to member households ranging from lighting to powering small appliances like television. As a result of this limited use, one would not expect outcomes associated heavy use of electricity like cooking or pumping. An interesting observation is that households connected to the grid in these rural areas limit electricity use to the similar light uses due to affordability. Nevertheless, it is important to isolate the claimed impact of micro grid electrification in literature since they informed the investment decision in the first place. This study seeks to establish such impact using observational data collected from participating and non-participating households within community based micro hydro schemes.

2 Literature Review

Impact evaluation studies for electrification and other infrastructure projects have only become popular recently, following accountability concerns by donor community Bernard (2010). In response to this, empirical work on impact evaluation for project intervention grew rapidly after Paris Declaration on Aid effectiveness. The existing studies on the impact evaluation of rural electrification can be separated into two types: those that use mainly attributions to claim impact and those which put emphasis on addressing endogeneity (participation bias) while seeking causal impact. The first lot of studies collect post-electrification data to describe how a community looks like after electrification, or compare outcomes based on whether one has electricity or not. The limitation with these studies is that the claimed benefits such as extended night activity and clean indoor air cannot be attributable to electricity access only, since the environment under which they are isolating impact is not controlled

from other influences. This weakness is addressed by studies that create experimental atmosphere or try to mimic one, and this later literature can claim causal impact of electrification. Both studies are reviewed here with this setting in mind.

The most obvious way of telling that a household has benefited from electrification is through extended night activity, due to availability of more quality and efficient lighting (Bensch et al., 2011). Most studies assume away this impact which may not be achieved if electrification is accompanied by poor service like frequent outages. Bensch et al. (2011) finds that connected households in Rwanda have more light hours per day than unconnected households. The measure used here does not account for the fact that more light hours from use of for instance tin lamps is actually a non-desirable outcome due to the associated pollution. It may be worthwhile to look at other ways of capturing increased use of lighting in the household from electrification, since demand for lighting during the day is very little for rural households. For instance the use of either kerosene or firewood for lighting is costly to the household, it would be expected that cheaper option like micro hydro electricity would be associated with more use of light at night. Thus comparing the night time light hours may be more useful as opposed to looking at whole day light usage.

Reduced consumption of unclean fuels like kerosene and fuel wood is a common justification for rural electrification, but the outcome from empirical work is contentious. Dinkelman (2011) found that households take up of electric cooking and lighting led to reduced use of firewood over a five year period in South Africa's Kwa Zulu Natal Province. However, Madubansi and Shackleton (2007) contends that fuel wood use did not decrease in the aftermath of rural electrification in five South African villages between 1991 and 2002. Similarly, in Vietnam households switched from kerosene to electricity lighting after two years of electrification (Khandker et al., 2013). However, if electricity supply comes with frequent power outages, electrified households end up spending the same amount on kerosene as those who are not electrified as found by Khandker et al. (2012) in India. Complete elimination of kerosene in the household due to electrification is also possible, as illustrated by the introduction of Solar Home Systems (SHSs) in Bangladesh (Mondal and Klein, 2011). If households become accustomed to clean indoor air after electrification, they find it inconceivable to return back to kerosene use and experience its smoke. Elsewhere, Bernard (2010) observes that although rural households desire to use electricity for activities such as cooking, a combination of cost/affordability ensures that cheaper options like firewood eventually prevail. Thus the health gains from electrification such as those demonstrated by Rollin et al. (2004) among South African households may not be achieved unless rural electrification is accompanied by clean fuel programs. One can safely predict that rural electrification can only reduce rather than eliminate the use of unclean fuels in the household.

Economic gains from electrification accrues from increased productivity in home enterprises or intensification of agricultural activity. In Vietnam, adoption of electric water pumps was observed to have replaced manual irrigation leading to increased agricultural income (Khandker et al., 2013). Electric water

pumps enable farmers to irrigate larger acreages of land with little spending on labour, and this may translate into higher earnings if markets are accessible. Bensch et al. (2011) finds that electrified houses have slightly more income in Rwanda. This outcome is from an ex-ante evaluation under the assumption that hypothetically connected households would reap the same benefits as those already connected. However, Matinga and Annegarn (2013) cautions against such assumptions that lead to generalizations in impact evaluation work. The study notes that income gains from electrification are largely dependent on pre-existing conditions or simultaneous interventions which are rarely captured in observational data, and this is responsible for the varying outcomes in literature. For instance, if electricity service is of limited capacity or comes with poor service then the probability of zero income gain is even higher. Alongside this reasoning Rao (2013) finds that although electrification led to higher incomes in Indian villages, those households with better quality of supply had even higher income gains. This validates an earlier observation made about expected gains with limited capacity electrification. Other conditions like markets and level of economic activity determine the potential income gain. Bernard (2010) observes that in SSA rural settings, there is limited employment opportunity exacerbated by lack of market for goods that are produced by home enterprises. Electrification may lead to increased productivity of micro enterprises such as that described by Jacobson (2007); Kirubi et al. (2009) in Kenya, but income gains may not be realized due to market bottlenecks. Obermaier et al. (2012) advises that for electrification programmes to be successful, they must be integrated into the greater rural development strategy. Twin objectives of increasing access as well as increasing electricity consumption through other facilitation programmes must be met in addition to simultaneously implementing other non-electrification programmes. These other supporting programmes may take time to implement, giving long lead times for income gains to be observed after electrification. Khandker et al. (2009) found that in Bangladesh, income gains from electrification increased with duration of electricity exposure but at a decreasing rate (based on the squared term for duration electrification). Income thus seems to be one of those benefits that can be accessed only in the long term after and electrification intervention

Gender-based roles are common in developing countries cultural settings, and they may have a bearing on who gains most from electrification within a household. For instance, women spend time collecting firewood for family use and introduction of electricity may reduce the demand for firewood subsequently freeing up some of their time. This additional time may be translated into increased labour market participation by women, as observed in South African rural households by Dinkelman (2011). Most rural households however continue to use firewood and charcoal for cooking even after electrification, with 80 per cent of rural electricity consumption devoted to lighting and television (see Köhlin et al. (2011)). The inability to pay for more units of electricity, cultural cooking habits or simply inability of delivered quality of electricity to be applied to some uses may mean that expecting such gender-related outcome is far fetched in developing countries. Results for educational gains from elec-

trification are mixed. Although electricity avails quality light for reading in the evening Matinga and Annegarn (2013) notes that children may reduce their daytime study hours by taking up television watching or playing games. Thus there is no direct link between electrification and education outcomes because more often than not, there is no long-term data to indicate if the changes in study patterns actually translate into education outcomes. In an interesting case, school enrollment rates and average years of schooling in India increased for girls over 17 years of rural electrification while no change was observed for boys (Van de Walle et al., 2013). In Bangladesh, Khandker et al. (2009) finds that electrification led to an increase in both study hours and school completion rates with boys appearing to have gained more than girls. Within each gender, education gains from electrification were higher in households with more land. This implies that more resources (like capital) may lead to higher gains from electrification because they possess higher ability to pay for other services.

In addition to the above contradicting outcomes from rural electrification, a major concern in empirical work is methodological approaches mainly driven by endogeneity/sample selection problems and data availability. Households that are naturally flexible and hardworking are more likely to self-select into connection, and this means that they are likely to have better outcomes than their rigid or less determined counterparts even in the absence of electrification. Additionally, placement of rural electrification projects is usually biased towards areas with higher economic potential due to concerns about project returns. Studies vary in their econometric approaches that allow a claim about causality. More importantly, data availability dictates the choice of method particularly where evaluation is not a component of rural electrification programs. Propensity score matching as used by Khandker et al. (2009); Bensch et al. (2011) seems more appropriate in the absence of before and after connection data, with the major challenge being finding proper and adequate comparison units. The use of geographical instrumental variables on the other hand is gaining popularity in literature, making it a feasible approach whenever such data is available. Dinkelman (2011) uses community gradient in a study of communes distributed in South Africa's province of Kwa Zulu Natal to establish the labour market gains from electrification, while the distance from nearest connectivity point in India is used as an instrument for endogenous electricity access in India (Khandker et al., 2009). In special cases where data spanning two time periods is available, adopting panel fixed effects can control for selection problems, in addition to identifying long term benefits of electrification. However, such data is missing in most instances for small scale projects. However, published literature that has looked at that scale of electrification (Kirubi et al., 2009; Komatsu et al., 2011) adopt approaches that cannot support causality and claimed impacts need to be re-assessed using more robust approaches. Furthermore, since return-based targeting that is popular with grid electrification is rarely the motivation behind village micro grids, one needs to be conservative with the choice of outcome selection for impact analysis (Matinga and Annegarn, 2013).

Overall, literature provides some lessons on potential benefits of both grid

and off grid rural electrification. Its apparent that the quality of electricity delivered to a household determines what power can be used for, and thus the consequent gains. Because most studies that claim causal impacts consider grid electrification, they do not offer much lessons for small projects which deliver limited capacity electrification. There are nevertheless expected benefits from such projects, whose evidence forms the goal of this study. Considering data challenges raised above, the next section looks at a feasible strategy that can allow us to identify such impacts.

3 Methodology

This section addresses the econometric procedures to deal with endogeneity of household connection to a village micro hydro grid, which will then allow for a claim of impact . The problem of impact evaluation is explained, leading to a choice of method appropriate for the current study. The data used for the study is then described, followed by the estimation procedures.

3.1 Theory of impact evaluation and propensity score matching

According to Caliendo and Kopeinig (2008), the mainstay of any impact evaluation exercise is establishing how a treated individual would look like if they never got the particular intervention or the 'treatment effect'. The latter is the causal effect of a binary event on an outcome of interest to a researcher. The Roy-Rubin framework provides an approach to defining this causal inference problem with the main components being: treatment (connection) status; potential outcomes and the subjects (households). Following exposition of this model in Caliendo and Kopeinig (2008), consider the treatment indicator D and the subject i , so that the treatment indicator of a subject is denoted by D_i . $D_i = 1$ if subject i (where $i = 1, 2, 3, \dots, K$) is exposed to the treatment and $D_i = 0$ if the subject has not been exposed to treatment. Defining Y_i as the potential outcome of the subject, then $Y_i(D_i)$ denotes the potential outcome.

The treatment effect t_i is the difference between the outcome of an individual with treatment and without treatment i.e. $t_i = Y_i(D = 1) - Y_i(D = 0)$. This requires us to observe the same individual i under the two states, so that we compute the individual treatment effect on the treated (ATT)². This cannot be computed because the treatment cannot be removed from the subject once given, so an average treatment effect based on the population of interest is used as an approximation as follows:

$$t_{ATT} = E(t|D = 1) = E[Y(1)|D = 1] - E[Y(0)|D = 1]$$

where $E[Y(0)|D = 1]$ is the counterfactual or the outcome of a treated subject if he/she had not received the treatment. However, since the component

²Although ATT is the most commonly used measure, another possible measure is the ATE (average treatment effect)

$E[Y(0)|D = 1]$ is still not recoverable and this is what lead to a counterfactual problem.

For experimental studies like the randomized control trials using $E[Y(0)|D = 0]$ as an alternative provides valid estimates of treatment effect since randomizing subjects into treatment and control groups ensures that there is no self-selection into the treatment. The same cannot be said in the absence of randomization. This is because there are factors that could be affecting both treatment and outcome simultaneously, so that the outcome variable would still be different for the two groups even if treatment was not administered. This is one source of identification problem in evaluation work

The 'self selection bias' can be illustrated by rearranging the expression for ATT as:

$$E[Y(1)|D = 1] - E[Y(0)|D = 0] = t_{ATT} + E[Y(0)|D = 1] - E[Y(0)|D = 0].$$

An unbiased treatment effect on the treated can only be obtained if the 'selection bias' term $E[Y(0)|D = 1] - E[Y(0)|D = 0] = 0$. Experimental studies ensure that the difference between the counterfactual terms for treated subjects and the observed outcome for control subjects is zero. In the absence of randomized control trials, there are methods of impact evaluation that employ techniques to reduce these differences. Depending on data availability, several statistical techniques can be used to reduce this bias: regression methods; Instrumental variables; Propensity score matching-based methods.

3.1.1 Propensity Score Matching (PSM) Method

According to Rosenbaum and Rubin (1983) a propensity score $Pr(D = 1|X)$ is the predicted probability of assignment to the treatment ($D = 1$) conditional on a vector of observable X . Since it is a balancing score then it allows us to group subjects into treatment ($D = 1$) and control ($D = 0$) such that we can derive sensible comparisons between them. Balancing scores are a function of the observables and it has been proven that

that if treatment is ignorable³ given X then it is also ignorable given $Pr(X)$ (see proof in Rosenbaum and Rubin (1983)), and comparing mean outcomes of treatment and control subjects at each value of score yields unbiased treatment effect. For small samples the propensity score is estimated using the data at hand, using a probit or logit model. The resultant propensities can then be applied differently to adjust observations such that comparison is possible as follows: create matched samples from the control subjects; construct sub-classes of similar units and compare the impacts within those sub-categories to come up with the differences. Subject to the availability of adequate control units, matching is more practical and popular in studies than the other two methods.

³Treatment ignorability is one of the conditions for using PSM. It states that if we obtain a set of observable characteristics that are independent of treatment assignment, then outcome is independent of treatment assignment (see Caliendo and Kopeinig, 2008). The other requirement for PSM is the overlap condition, $0 < Pr(D = 1|X) < 1$, which requires that subjects with the same characteristics have a positive probability of being in both treatment and control groups.

The first step in carrying out PSM is to estimate the scores using a choice model, and obtain the predicted probability of a subject receiving treatment conditional on X . Given that two conditions of treatment ignorability and overlap are met, the average treatment effect on the treated subjects using PSM is expressed as:

$$t_{ATT(PSM)} = E_{(Pr(X)|D=1)}\{E[Y(1)|D = 1, Pr(X)] - E[Y(0)|D = 0, Pr(X)]\}$$

where $E_{(Pr(X)|D=1)}$ is the distribution of the subjects' propensity score, that is used as a weight of the difference between the outcome of the treated and untreated subjects within the region of overlap. But first is a statement of the link between the treatment and the expected outcomes.

3.2 Change mechanism

The change mechanism is basically what follows after any electrification programme: once a micro hydro electricity potential is taken up by a community for development, some households join the scheme and make relevant financial and labour obligations. The harnessed electricity is then connected to households who have fulfilled the contributory obligations while others drop out of the scheme or do not join the scheme in the first place. In a previous section, it was highlighted micro hydro electricity has limited applications in the household level. Therefore, it would be reasonable to expect outcomes that are associated with the use of low voltage items in the household that comprises of mainly lighting and small appliances.

Kerosene is the primary source of lighting in 68.93 per cent of Kenyan households, and the prevalence of kerosene lighting is higher in rural areas compared to urban areas (⁴. Ngui et al. (2011) highlight that while kerosene is mainly used for cooking in poor urban households, its main use in the rural household is lighting. The first use of electricity in a household is to replace kerosene as a primary lighting fuel. The expectation here is that households connected to micro grids have a lower average consumption of kerosene in terms of both the physical quantities and spending. Kenya is a net importer of crude oil products and the fluctuations in the price of these products affect households using kerosene as a primary energy source directly. This is the reason behind the controversial subsidy on kerosene in Kenya, and it would be interesting to establish if micro grid electrification reduces kerosene consumption.

Secondly, Bensch et al. (2011) propose that the number of lighting hours is an important indicator of the impact of any electrification project, as its a primary indicator of the level of service take up. The expectation here is that connected households experience more light hours (for our case we choose to limit ourselves to hours of light during the night) than those not connected because the latter have to limit the use of more expensive kerosene fuel. School going children would also be expected to increase their evening study time, due to availability of electricity. Lastly, ability to use information & communication

⁴see data at <https://www.opendata.go.ke/Distribution-and-Consumption/Main-Lighting-Energy-Sources-averaged-to-Counties-/g9hi-bs9n>

Table 1: Outcomes of interest

Outcome	Measurement
Kerosene consumption per month	liters
Kerosene budget share	ratio
Kerosene energy budget share	ratio
cell phone battery recharge/wk	Ksh.
Radio use	hours the radio is used per day
Kids evening study time	hrs

appliances like radios, televisions and mobile phones is more enhanced if there is power connectivity in the household. High spending on powering these devices is likely to discourage their use, and this has a negative effect on the household (Komatsu et al., 2011). If there is electricity connection in the household, there is less spending on re-charging batteries and this extends the time of use of the devices. This also means that the device can be used at any time.

Table 1 summarizes the outcomes of interest for this study, and their measurements:

3.3 Empirical strategy

3.3.1 Data collection

This exercise involved comparing outcomes of households that are connected to community micro grids to those with no connection to micro hydro scheme electricity service. There was no comprehensive list of micro hydro schemes in Kenya, by the time we conducted this study. For identification of projects that would consist of connected households, we used a list of functional projects from a recent scoping study on micro hydro electricity use in Kenya spread over three counties in central Kenya :Muranga; Nyeri and Kirinyaga. Unfortunately, there were plants that were listed as functional but generation had stopped for ore than two years. As a result, all schemes were visited by the researcher before classifying them as functional or non-functional with regard to production and distribution of electricity. Because of the limited number of connected households that were found, it was important to interview all the connected households in every scheme. A total of 77 connected households were available for interview spread across four functional schemes, while some fifteen household heads could not be interviewed because they were not present during the time of the survey. There are both connected households and those that are not connected in every scheme environment. The latter provided good potential matches for the former, since they face the same socio-economic conditions. Due to the technical requirements for micro hydro electricity generation all the schemes are located in very similar geographical and climatic zones (in rural areas, near water towers, similar agricultural potential and in highland climatic conditions), and the households face near similar economic opportunities. The control households were randomly picked from the pool of non-connected

households within the defined radius of a micro hydro scheme, while leaving out the grid connected households. Following this procedure, a total of 190 control households that had no electricity connection were interviewed.

3.3.2 Estimating the propensity scores

For estimating the propensity scores Caliendo and Kopeinig (2008); Zhao (2008) among others indicate that there is no foundation for discriminating between the logit or probit specifications. This is because if the unconfoundedness condition is met, the estimated impacts from the two models are very similar. The choice of covariates in the connection status model was informed by advice in Garrido et al. (2014); Bensch et al. (2011); Caliendo and Kopeinig (2008). Generally, variables that are thought to influence both treatment and outcome should be included, while leaving out those that may be influenced by treatment. Thus economic theory, intuition based on the knowledge of research area and past research should form the criteria of choosing variables. This study relied on the first two criteria and the following observable characteristics are proposed to predict the connection decision for purposes of estimating the propensity score, and some are different for the two groups (see table 2)

$X = \{household\ size; gender\ of\ household; employment\ status; having\ received\ environmental\ training; type\ of\ dwelling; kerosene\ price; monthly\ income\ and\ age\ of\ household\}$

The logit of the probability that a household is connected to a micro hydro electricity $logit(\theta_i)$ is a linear function of X as follows:

$logit(\theta_i) = F(X'\alpha) = \mathbf{X}'_i\alpha$ and α denotes the regression coefficients and $f(\cdot)$ is the cumulative density function of the logistic distribution

The probability of connection is given by:

$$\theta_i = \frac{exp\{X'_i\}}{1+exp\{X'_i\}}$$

and the propensity score is the predicted probability based on this model.

From section 3.1.1, it was highlighted that one of the conditions for estimation of ATT is the presence of overlap or common support region in data. This will ensure that subjects with the same propensity scores have a chance of either being connected to the micro hydro grid or not. The best way to demonstrate the existence is through visualization using density plots (see figure 1)

3.3.3 Matching quality

Once the propensity scores have been estimated, the next step involves stratification so as to make sure that in each particular strata treated and control subjects have 'similar' propensity score. From section 3.1.1, it was indicated that a propensity score is actually a balancing score. This implies that within each strata of propensity score, the treated and control subjects should be having the same distribution of observed covariates. According to (Austin, 2011) one way of ensuring that the model for estimating the propensity scores was

well specified is to ascertain whether the distribution of the covariates for the two groups is similar within the matched sample (same strata). Thus after matching,

$$p(D = 1|X) = P(D = 0|X) .$$

Several methods have been proposed in literature to check to balancing quality after matching(Austin, 2011). The use of standardized differences in means seems to be superior and was adopted by this study. The standardized differences in means for a continuous variable is calculated as given below:

$$d = \frac{(\bar{x}_{treatment} - \bar{x}_{control})}{\sqrt{\frac{s_{treatment}^2 + s_{control}^2}{2}}}$$

while that of a binary outcome variable is given as:

$$d = \frac{(\hat{p}_{treatment} - \hat{p}_{control})}{\sqrt{\frac{\hat{p}_{treatment}(1 - \hat{p}_{treatment}) + \hat{p}_{control}(1 - \hat{p}_{control})}{2}}}$$

where d is reported as “standardized percentage bias” in the results.

The one thing that is clear in literature is that it is difficult to expect balance in all the covariates, and there is no standard for the “tolerable” imbalance. However, it is erroneous to claim an impact if you have have ‘bad’ matches (see Garrido et al. (2014); Austin (2011) among others). Other methods like the use of t-tests and model fit measures have been discredited due to a disconnect between their major assumptions and the purpose for which propensity scores are estimated.

3.3.4 Choice of matching methods

The general framework for PSM estimator for Average Treatment Effect (ATT) was shown in section 3.1.1. Once a balanced propensity score is obtained, a matching method with which to use the propensity scores is chosen. The general framework for PSM estimator for Average Treatment Effect (ATT) was shown in section 3.1.1. Several matching estimators work by comparing the outcomes of the connected households to that of households which are not connected. The matching techniques vary according the following: handling the common support requirement; defining the appropriate distance between two comparison subjects (neighbors) and the weighting of each comparator (Caliendo and Kopeinig, 2008). The choice of a method depends the data available, and involves a ‘bias-efficiency’ trade off. Two methods will be considered for this study:

Kernel Matching

The study chose the kernel matching as the base comparison model, given the limitations of getting too many observations as controls. This technique allocates a weight to to each control within a pre-defined range (bandwidth) depending on how ‘close’ that subject is to the treated subject. Therefore, control subjects who are closer to the treated ones in terms of propensity scores are allocated more weight than those who are distant. A band width of 0.06

Table 2: Differences in the covariates

variable	t/z value
household size	0.0578
Gender_male	3.4921**
size of arable land	-2.6584**
piped water connection	-1.2543
Religion_Protestant	-0.1572
received environmental training	-3.1565**
Dwelling_not permanent	4.7468**
kerosene cost/litre (Ksh)	-0.4165
log income household	-4.2166**
age of head	-2.6880**
yrs of education	-0.9337

**indicate significant mean difference at 1%

was recommended in literature due to the fact that it is optimal in the trade off between efficiency and bias. For robustness checks, lower(0.04) and higher(0.06) bandwidths will be included. The downside of kernel matching is that it can introduce a bias, while improving on efficiency. To overcome this, estimation is limited to the common support region and we use nearest neighbor estimator which is inefficient by introduces less bias as a 'robustness' check (see Caliendo and Kopeinig (2008) for efficiency bias trade-off classification)

Nearest Neighbor (NN) matching

This estimator involves picking 1 : k treated and control subjects who have smallest propensity score difference. The matched controls can be replaced back in the reservoir of control units and used as matches for another treated unit, and this estimator is called 'NN with Replacement'. The use of replacement is adopted for this study because it improves the quality of matching(Caliendo and Kopeinig, 2008), given the number of control observations that we have. we also use calipers to safeguard against poor matches in instances where the nearest neighbor is may be too distant from its treated counterpart in terms of propensity score(Garrido et al., 2014).

4 Results

4.1 Data description

The treated and control subjects are similar in only 5 out of ten characteristics. From this outcome, we conclude that it is important to address the fact that these two groups have other potential differences apart from the treatment status. The differences in the outcome variables between the two groups based on naive t-tests is also shown below:

Table 3: logit (treated as the dependent variable)

variable	coefficient (S.E)
household size	0.0126(0.0935)
Gender(male)	-1.0504(0.3467)**
Arable land	0.05280(0.0865)
Piped water present	0.0553(0.3773)
environmental training(yes)	1.1555(0.3766)**
dwelling(non-permanent)	-1.2965(0.0.3600)**
Kerosene cost/litre (KSh)	0.0222(0.0152)
monthly income (log)	0.6445(0.1835)**
age (head)	-0.0024(0.0724)
age(head)^2	0.0002(0.0006)
no of yrs in school	-0.0206(0.0423)
religion	0.0665(0.3290)
k	-8.5593(0.2.9985)**
<i>LR chi-square (12)</i>	<i>65.82</i>
<i>n</i>	<i>267</i>

4.2 Propensity Score Estimation Model

From table 2, having a male household head and a non-permanent living structure is associated with a lower probability of being connected to a micro hydro grid service its apparent that household size, farm size, piped water connection and age are not relevant in explaining the treatment status of the households in the sample. However, they have theoretical relevance to connection status and their inclusion into the model did not result into adverse matching quality. The goal of the logit estimation in this case is to obtain propensity scores for matching as opposed to offering a structural explanation of the connection decision. A propensity score was therefore estimated from the predicted probability of connection given by this model., and used to select comparison subjects in next stage. The distribution of the propensity scores between the connected and unconnected households is shown in figure 2. A stratification of the propensity scores was done, with the optimal number of blocks suitable for the data determined as 5 within the common support the overall indication was that the balancing property was satisfied.

4.2.1 Region of common support and Matching quality

The propensity score was used for matching using two methods: Kernel and NN matching. The specifications which gave the best matching quality in terms of both mean and median standardized differences in covariates were kernel (Epanechnikov) with a band width of 0.06 and NN with two neighbors and caliper of 0.25. There were no reported bad matches and the Rubin's r (this test is based on the standardized differences) was within the expected range for

good matches. The findings from the estimated ATTs are discussed in the next section.


4.3 Treatment effect using kernel matching

Significant effects of electrification through micro grids were found for the quantity of kerosene consumed per month, the spending on charging mobile phone batteries per month and the number of hours that children dedicate to studies in the evening. There is no significant difference in both the hours of light at night and radio entertainment between connected and non-connected households. The results were robust to changes in bandwidth changes as well as to use of nearest neighbor matching with several calipers. No bad matches were reported by the standardized difference of means ratios.

The treatment effect is significant for only three outcomes: the physical quantity of kerosene consumed per week, the expenditure incurred on cell phone battery recharging and the number of hours that kids study in the evening. However, there is no difference between connected and unconnected households in terms of: the proportion of spending on kerosene, the number of night light hours and the length of time that radios are utilized in the households. Following section gives a contextual interpretation of the significantly different outcomes.

While households which are not connected to the micro grid consume about 2.8 litres of kerosene per month, the connected households consume about 1.3 litres giving a difference of approximately 1.5 that is reported in column (a) in table 4. The explanation for the 1.5 litres of kerosene consumed by the unconnected households is due to frequent repairs or breakdowns that were reported in all plants, connected households are forced to purchase kerosene as a contingency during service outages . No household in the sample was found to be using kerosene for cooking, thus we cannot attribute utilization of kerosene by electrified households to cooking. More importantly is that even with these breakdowns responsible for service outages, connected households still consume almost half the amount of kerosene consumed by the unconnected ones. Although connection status does not seem to have an effect on the share of household income that is allocated to kerosene purchases, it certainly implies that if we assume households use kerosene with the same device (e.g. the popular tin lamps) then connected households face less kerosene-based pollution. The results thus supports the justification for off grid rural electrification on the basis that they can lead to reduction or eventual elimination of kerosene use in the household (see Jacobson (2007); Komatsu et al. (2011); Hirmer and Cruickshank (2014)). Komatsu et al. (2011) found that households in Bangladesh villages led to 95 per cent of the households eliminating the use of kerosene as a result of electrification via Solar Home Systems (SHS). Thus with interventions such as adoption of re-chargeable torches or enhanced infrastructure repairs, it is possible to eliminate use of kerosene in the households. Unlike in Khandker et al. (2012), we did not find significant reduction in kerosene spending due to electrification. However, this was not the same for some particular energy spending like charging of mobile phone batteries.

Figure 1: Region of common support -Kernel and NN-Matching



Households that are not connected to micro grids spend approximately 0.92 USD⁵ more per month on recharging their mobile phones, compared to those who are connected to micro grids. The treated households spend almost nothing (this is because the minimum amount you pay for charging a mobile phone battery is Ksh. 10) to charge their mobile phones per week, while those who are not connected spend approximately Ksh. 30 per week for the same. This also means that mobile phone owners who live in non-connected households are more likely to face communication hindrances because of lack of electricity to recharge their devices, and if they do not have cash to pay for recharge at some other place then the hindrances are worse. There are similar findings by Komatsu et al. (2011) who found that in Bangladesh, households that had adopted Solar Home Systems (SHS) electrification had the ease of charging their mobile phones at home without any extra costs.

Finally, school children in households that are connected to micro hydro electricity were found to be devoting lesser time to study compared to those who did not have micro hydro electricity connection to their household. While the average study period for those in connected homes is 1.35 hours, those in non-connected households study for 2.06 hours. This contrasts findings from empirical work in Vietnam by Khandker et al. (2013), but coincides with ethnographic findings in South Africa by Matinga and Annegarn (2013) The latter observes that once electricity is available in the households, children are also likely to take up other activities like TV or Radio entertainment instead of studying. Therefore, at first glance the expectation of increased studying due to electrification may not always be supported by the data.

5 Conclusion

The main task in this study was to isolate the impact of rural electrification by use of micro hydro schemes on selected aspects of household welfare identified as: kerosene consumption, education, access to communication and information and availability of extended light hours at night. Observational data was used from connected and unconnected households in Kenya where micro hydro projects have been implemented on trial basis. Both kernel and nearest neighbor matching techniques were used, and the quality of matching assessed, where no bad matches were reported. Significant impact of electrification was found for three outcomes namely: monthly consumption of kerosene, the number of evening study hours for kids and monthly mobile phone recharging expense. Although micro hydro service that is currently offered provides limited voltage, they deliver significant improvement in aspects of household welfare. If the service provision is enhanced, they can lead to elimination of kerosene lighting in the household and associated health and safety dangers. Access to communication and other mobile phone based-benefits due to availability of electricity accrue to households due to almost lower costs of recharging batteries. Availability of electricity may also reduce the time allocated to studies due to take up

⁵1 USD= Ksh. 100

of entertainment activities. Therefore, it is not entirely true that electrification may lead to increased home study time which is in turn expected to lead to better education outcomes. Further studies tracking other education outcomes are important for this particular case, since the current study did not collect data on the same. Another interesting aspect would be to compare the same outcomes for off-grid and grid electrified households, given that grid connected households in developing countries households limit their use of electricity to basic applications similar to those met by off-grid means.

References

- Austin, P. C. (2011). An introduction to propensity score methods for reducing the effects of confounding in observational studies. *Multivariate behavioral research*, 46(3):399–424.
- Barnes, D. F. and Binswanger, H. P. (1986). Impact of rural electrification and infrastructure on agricultural changes, 1966-1980. *Economic and Political Weekly*, pages 26–34.
- Bensch, G., Kluve, J., and Peters, J. (2011). Impacts of rural electrification in rwanda. *Journal of Development Effectiveness*, 3(4):567–588.
- Bensch, G., Peters, J., and Sievert, M. (2012). Fear of the dark? how access to electric lighting affects security attitudes and nighttime activities in rural senegal. *How Access to Electric Lighting Affects Security Attitudes and Night-time Activities in Rural Senegal (September 1, 2012)*. *Ruhr Economic Paper*, (369).
- Bernard, T. (2010). Impact analysis of rural electrification projects in sub-saharan africa. *The World Bank Research Observer*, page lkq008.
- Caliendo, M. and Kopeinig, S. (2008). Some practical guidance for the implementation of propensity score matching. *Journal of economic surveys*, 22(1):31–72.
- Dinkelman, T. (2011). The effects of rural electrification on employment: New evidence from south africa. *The American Economic Review*, pages 3078–3108.
- Garrido, M. M., Kelley, A. S., Paris, J., Roza, K., Meier, D. E., Morrison, R. S., and Aldridge, M. D. (2014). Methods for constructing and assessing propensity scores. *Health services research*, 49(5):1701–1720.
- Hirmer, S. and Cruickshank, H. (2014). The user-value of rural electrification: An analysis and adoption of existing models and theories. *Renewable and Sustainable Energy Reviews*, 34:145–154.
- Jacobson, A. (2007). Connective power: solar electrification and social change in kenya. *World Development*, 35(1):144–162.

- Khandker, S. R., Barnes, D. F., and Samad, H. A. (2009). Welfare impacts of rural electrification: a case study from bangladesh. *World Bank Policy Research Working Paper Series, Vol.*
- Khandker, S. R., Barnes, D. F., and Samad, H. A. (2012). The welfare impacts of rural electrification in bangladesh. *The Energy Journal*, 33(1).
- Khandker, S. R., Barnes, D. F., and Samad, H. A. (2013). Welfare impacts of rural electrification: a panel data analysis from vietnam. *Economic Development and Cultural Change*, 61(3):659–692.
- Kirubi, C., Jacobson, A., Kammen, D. M., and Mills, A. (2009). Community-based electric micro-grids can contribute to rural development: evidence from kenya. *World development*, 37(7):1208–1221.
- Köhlin, G., Sills, E. O., Pattanayak, S. K., and Wilfong, C. (2011). Energy, gender and development: What are the linkages? where is the evidence? *Where is the Evidence*.
- Komatsu, S., Kaneko, S., and Ghosh, P. P. (2011). Are micro-benefits negligible? the implications of the rapid expansion of solar home systems (shs) in rural bangladesh for sustainable development. *Energy policy*, 39(7):4022–4031.
- Madubansi, M. and Shackleton, C. (2006). Changing energy profiles and consumption patterns following electrification in five rural villages, south africa. *Energy Policy*, 34(18):4081–4092.
- Madubansi, M. and Shackleton, C. (2007). Changes in fuelwood use and selection following electrification in the bushbuckridge lowveld, south africa. *Journal of environmental management*, 83(4):416–426.
- Matinga, M. N. and Annegarn, H. J. (2013). Paradoxical impacts of electricity on life in a rural south african village. *Energy Policy*, 58:295–302.
- Mondal, A. H. and Klein, D. (2011). Impacts of solar home systems on social development in rural bangladesh. *Energy for Sustainable Development*, 15(1):17–20.
- Ngui, D., Mutua, J., Osiolo, H., and Aligula, E. (2011). Household energy demand in kenya: An application of the linear approximate almost ideal demand system (la-aids). *Energy policy*, 39(11):7084–7094.
- Obermaier, M., Szklo, A., La Rovere, E. L., and Rosa, L. P. (2012). An assessment of electricity and income distributional trends following rural electrification in poor northeast brazil. *Energy policy*, 49:531–540.
- Rao, N. D. (2013). Does (better) electricity supply increase household enterprise income in india? *Energy policy*, 57:532–541.

- Rollin, H., Mathee, A., Bruce, N., Levin, J., and Von Schirnding, Y. (2004). Comparison of indoor air quality in electrified and un-electrified dwellings in rural south african villages. *Indoor Air*, 14(3):208–216.
- Rosenbaum, P. R. and Rubin, D. B. (1983). The central role of the propensity score in observational studies for causal effects. *Biometrika*, 70(1):41–55.
- Terrado, E., Cabraal, R. A., and Mukherjee, I. (2008). *Designing Sustainable Off-grid Rural Electrification Projects: Principles and Practices: Operational Guidance for World Bank Group Staff*. World Bank, The Energy and Mining Sector Board.
- Van de Walle, D. P., Ravallion, M., Mendiratta, V., and Koolwal, G. B. (2013). Long-term impacts of household electrification in rural india. *World Bank Policy Research Working Paper*, (6527).
- Zhao, Z. (2008). Sensitivity of propensity score methods to the specifications. *Economics Letters*, 98(3):309–319.

6 Appendix

Table 4: Kernel (epanechnikov)

outcome variable	(a) Base (bwidth=0.06)	(b) K(bwidth=0.04)	(c) K(bwidth=0.08)
kerosene demand in litres	-1.4941 (0.3064)**	-1.4680(0.3431)**	-1.4846(0.3209)***
hh budget share of kerosene	-0.0048 (0.0035)	-0.0046(0.0031)	-0.0046(0.0031)
energy budget share of kerosene	-0.0573(0.0487)	0.056(0.0475)	-0.0585(0.0449)
night light hours	-0.2629(0.5076)	-0.2803(0.5186)	-0.2705(0.5020)
Cell phone charging expenditure/wk	-23.2364(4.6132)**	-23.3831(4.6722)**	-23.6174(4.3087)**
radio hours	-0.4735(0.7258)	-0.3476(0.6966)	-0.2979(0.6806)
Kids study hours	-0.7110(0.3289)*	-0.6960(0.3146)*	-0.6622(0.3200)*

** denotes significance at 1%

*denotes significance at 5%
(bootstrap standard errors)

Table 5: Robustness check2:Nearest neighbor matching (1) ;(2) $c=0.25$ and $c=0.2$

outcome variable	(a) NN(1); $c=0.25$	(b)NN(2); $c=(0.25)$
kerosene demand in litres	-1.6089 (0.3989)**	-1.4214(0.3930)**
hh budget share of kerosene	-0.0038(0.0034)	-0.0028(0.0031)
energy budget share of kerosene	-0.0402(0.0535)	-0.0491(0.0517)
night light hours	-0.4107(0.5115)	-0.4869(0.4945)
Cell phone charging expenditure/wk	-29.0725(7.3445)**	-23.2319(6.7314)**
radio hours	-0.3051(0.6783)	-0.1435(0.7203)
Kids study hours	-0.7290(0.3608)**	-0.7971(0.3367)**

** denotes significance at 1%

*denotes significance at 5%

__ Note:changing the caliper to 0.2 did not make any difference for the 2-neighbour case

Figure 2: Imbalance in the propensity scores before matching

